Resolution for Missing DCMS Buttons

1. Run / Install msjavx86.exe



2. Click [Yes] button



3. Click [Yes] button

Microsoft VM		
(į)	The installation is complete.	
	OK	

4. Click [OK] button



- Click [Yes] button to restart computer
 Under Internet Explorer, go to Tools > Internet options

Internet Options	×
General Security Privacy Content Connections Programs Advanced	з
Home page You can change which page to use for your home page. Address: about:blank	
Use <u>C</u> urrent Use <u>D</u> efault Use <u>B</u> lank	
Temporary Internet files Pages you view on the Internet are stored in a special folder for quick viewing later. Delete Cookjes Delete Eiles	
History The History folder contains links to pages you've visited, for quick access to recently viewed pages. Days to keep pages in history: 0 Elear History	
Colors Fonts Languages Accessibility	
OK Cancel Apply	

7. Click on connections tab

eneral Secu	rity Privacy Content	Connections	Programs Advance	
To sel	t up an Internet connec).	tion, click	Setup	
Dial-up and Virtual Private Network settings				
			A <u>d</u> d	
			<u>R</u> emove	
Choose Settings if you need to configure a proxy server for a connection.		Settings		
💿 Never di	al a connection			
-				
🛛 🖸 Dial <u>w</u> he	never a network conne	ction is not pres	ent	
C Dial <u>w</u> he C Always d	never a network conne fial my default c <u>o</u> nnectio	ction is not pres m	ent	
C Dial <u>w</u> he C Always d Current	never a network conne lial my default c <u>o</u> nnectic None	ction is not pres m	ent S <u>e</u> t Default	
C Dial whe C Always o Current -Local Area N LAN Settings Choose Sett	never a network conne fial my default connectio None letwork (LAN) settings= s do not apply to dial-up ings above for dial-up s	o connections.	ent <u>Set Default</u> LAN Settings	

8. Click on [LAN Setting] button

Local Area Network (LAN) Settings	×
Automatic configuration Automatic configuration may override manual settings. To ensure the use of manual settings, disable automatic configuration. Automatically detect settings Use automatic configuration script	1
Use a proxy server for your LAN (These settings will not apply to dial-up or VPN connections).	
Address: broxy.greate-ar Port: 8888 Advanced	
OK Cancel	

9. Click on [Advanced] button

Proxy Settings ?					
EServe	rs				
	Туре	Proxy address to use	Port		
G	HTTP:	proxy.greate-advisor.com.s(: 8888		
	<u>S</u> ecure:	proxy.greate-advisor.com.s(: 8888		
	ETP:	proxy.greate-advisor.com.s(: 8888		
	<u>G</u> opher:	proxy.greate-advisor.com.s(: 8888		
	So <u>c</u> ks:		:		
	🔽 Use the	same proxy server for all protoco	ls		
Exceptions Do not use proxy server for addresses beginning with: localhost;*.greate-advisor.com.sg;dcms.lifeisgreat					
	Use semicolo	ons (;) to separate entries.			
		ОК	Cancel		

- Type in "dcms.lifeisgreat.com.sg" under the exceptions.
 DO NOT remove "localhost" and "*.greate-advisor.com.sg"
 Click [OK] button
 Click [OK] button
 Click [Apply] button.
 Click on [Advanced] tab

Internet Options					
General Security Privacy Content Connections Programs Advanced					
Settings:					
Settings: ✓ Use HTTP 1.1 ✓ Use HTTP 1.1 through proxy connections Solution → Use Java (Sun) → Use Java 2 v1.4.1_03 for < applet> (requires restart) → Microsoft VM → Java logging enabled ✓ Java logging enabled ✓ JT compiler for virtual machine enabled (requires restart) ✓ Multimedia → Always show Internet Explorer (5.0 or later) Radio toolbar → Don't display online media content in the media bar ✓ Enable Automatic Image Resizing ✓ Enable Image Toolbar (requires restart) ✓ Play animations in web pages ✓ Play sounds in web pages ✓ Play videos in web pages					
OK Cancel Apply					

- Scroll down to Java (Sun)
 Uncheck "Use Java 2 v1.xxx for <applet> (requires restart)"
- 18. Click [Apply] button 19. Click [OK] button